

Please show all your work and justify your answers.

**Exercise 1.** Let  $A = \{5, 6\}$ ,  $B = \{5, 7, 8\}$ , and  $S = \{n \in \mathbb{Z} \mid n \geq 3 \text{ is odd}\}$ . A relation  $R$  from  $A \times B$  to  $S$  is defined as  $(a, b) R s$  if  $s \mid (a + b)$ . Is  $R$  a function from  $A \times B$  to  $S$ ?

**Exercise 2.** For a function  $f : A \rightarrow B$  and subsets  $C$  and  $D$  of  $A$  and  $E$  and  $F$  of  $B$ , prove the following.

- (a)  $f(C \cup D) = f(C) \cup f(D)$
- (b)  $f(C \cap D) \subseteq f(C) \cap f(D)$
- (c)  $f(C) \setminus f(D) \subseteq f(C \setminus D)$
- (d)  $f^{-1}(E \cup F) = f^{-1}(E) \cup f^{-1}(F)$
- (e)  $f^{-1}(E \cap F) = f^{-1}(E) \cap f^{-1}(F)$
- (f)  $f^{-1}(E \setminus F) = f^{-1}(E) \setminus f^{-1}(F)$ .

**Exercise 3.** Give an example of two finite sets  $A$  and  $B$  and two functions  $f : A \rightarrow B$  and  $g : B \rightarrow A$  such that  $f$  is one-to-one but not onto and  $g$  is onto but not one-to-one.

**Exercise 4.** Let  $f$  be a function with  $\text{dom}(f) = A$  and let  $C$  and  $D$  be subsets of  $A$ . Prove that if  $f$  is one-to-one, then  $f(C \cap D) = f(C) \cap f(D)$ .

**Exercise 5.** Let  $A$  and  $B$  be nonempty sets. Prove that if  $f : A \rightarrow B$  is a function, then  $f \circ i_A = f$  and  $i_B \circ f = f$ .

**Exercise 6.** Let  $A$  be a nonempty set and let  $f : A \rightarrow A$  be a function. Prove that if  $f \circ f = i_A$ , then  $f$  is bijective.

**Exercise 7.** Let  $A, B$  and  $C$  be nonempty sets and let  $f, g$  and  $h$  be functions such that  $f : A \rightarrow B$ ,  $g : B \rightarrow C$  and  $h : B \rightarrow C$ . For each of the following, prove or disprove:

- (a) If  $g \circ f = h \circ f$ , then  $g = h$ .
- (b) If  $f$  is one-to-one and  $g \circ f = h \circ f$ , then  $g = h$ .

**Exercise 8.** Suppose, for a function  $f : A \rightarrow B$ , there exists a function  $g : B \rightarrow A$  such that  $f \circ g = i_B$ . Prove that if  $g$  is surjective, then  $g \circ f = i_A$ .